



रेलवे भर्ती बोर्ड, बिलासपुर
RAILWAY RECRUITMENT BOARD, BILASPUR
भारत सरकार : रेल मंत्रालय
Govt. of India (Ministry of Railways)
Phone: 07752-417742, Fax: 07752-417742



क्रमांक: रेभबो/बिलासपुर/01-2019/चिकित्सा/अनफिट/682

दिनांक:

27.01.2023

केंद्रीयकृत रोजगार सूचना संख्या - 01/2019 (एनटीपीसी) के लेवल-5 की कोटि संख्या 3, 4, 5 एवं 6 के पदों हेतु रेलवे चिकित्सालयों के द्वारा उम्मीदवारों के चिकित्सा परीक्षण के उपरांत विभिन्न चिकित्सा श्रेणी / श्रेणियों में फिट / अनफिट घोषित किए गए उम्मीदवारों की सूची एवं पुनः चिकित्सा जाँच हेतु अपील के लिए अवसर प्रदान करने की सूचना

रेलवे भर्ती बोर्ड बिलासपुर के द्वारा केंद्रीयकृत रोजगार सूचना संख्या 01/2019 (एनटीपीसी) के लेवल-5 की कोटि 3, 4, 5 एवं 6 के पदों हेतु रेलवे भर्ती बोर्ड बिलासपुर के द्वारा दिनांक 01.12.2022 से दिनांक 12.12.2022 एवं दिनांक 16.12.2022 को उम्मीदवारों के दस्तावेज सत्यापन करने के उपरांत उन्हें निर्धारित चिकित्सा श्रेणी/श्रेणियों में चिकित्सा परीक्षण के लिए मंडल चिकित्सालयों में भेजा गया था। मंडल चिकित्सालयों के द्वारा चिकित्सा परीक्षण में निम्नलिखित उम्मीदवारों को निम्नलिखित उच्चतम चिकित्सा श्रेणी/श्रेणियों में फिट पाया गया है:-

Roll No	Medical Fitness	Roll No	Medical Fitness
301191120177741	A2	301194150214408	A2
301191120234829	A2	301194150233763	A2
301191120242965	A2	301194150234598	B2
301191120250908	A2	301194150239028	A2
301191120258030	A2	301194150239291	B2
301191120314631	A2	301194150240200	A2
301191130181180	C2	301194150251964	A2
301191130193119	A2	301194150260454	A2
301191130194282	A2	301194150262468	B2
301191130318443	A2	301194150269864	B2
301191130323426	B2	301194150273938	B2
301191130346948	A2	301194150280023	A2
301191130351873	A2	301194150285511	A2
301191130359947	A2	301194150286967	A2
301191130365255	A2	301194150287708	A2
301191130367755	B2	301194150288167	A2
301191130368600	B2	301194150291382	B2
301191130369970	A2	301194150296087	A2
301191130371233	A2	301194150312347	A2
301191130374367	A2	301194150315023	A2
301191130375388	A2	301194150319782	A2
301191150022596	B2	301194150319879	A2
301191150035028	B2	301194150322747	A2
301191150042487	A2	301194150325178	B2
301191150055814	B2	301194150331480	B2

301191150160544	A2	301194150331672	A2
301191150165492	A2	301194150342753	A2
301191150172014	A2	301194150342882	A2
301191150187649	A2	301194150343640	B2
301191150187684	A2	301194150347148	B2
301191150189321	B2	301194150348107	A2
301191150194778	B2	301194150348684	A2
301191150214882	B2	301194150349158	B2
301191150215491	B2	301194150352119	B2
301191150217020	A2	301194150355722	A2
301191150219425	C2	301194150356728	A2
301191150220396	A2	301194150359501	A2
301191150221049	A2	301194150359648	A2
301191150225764	A2	301194150373003	A2
301191150226229	A2	301194150373852	A2
301191150235246	A2	301194150374378	A2
301191150238385	A2	301194150374767	A2
301191150258204	A2	301194160047255	A2
301191150263666	A2	301194160192218	A2
301191150267246	A2	301194160228233	A2
301191150271422	B2	301194160228520	A2
301191150281501	B2	301194160237892	A2
301191150284039	A2	301194160244173	A2
301191150301764	B2	301194160271906	A2
301191150303450	B2	301194160271940	C2
301191150312508	B2	301194160282355	A2
301191150317983	A2	301194160287408	B2
301191150339377	A2	301194160299550	A2
301191150341703	A2	301194160303964	B2
301191150342313	A2	301194160305373	C2
301191150342928	B2	301194160306387	A2
301191150344266	A2	301194160316540	B2
301191150345841	A2	301194160326708	A2
301191150346785	A2	301194160333685	A2
301191150354694	B2	301194160338816	A2
301191150360094	B2	301194160343880	B2
301191150366022	A2	301194160357335	A2
301191150369407	A2	301194170186536	A2
301191150377683	B2	301194170198093	A2
301191160026899	B2	301194170235844	A2
301191160138733	A2	301194170364995	A2
301191160198390	A2	301194170369562	A2
301191160223952	B2	301194170369936	A2
301191160224369	B2	301194170373594	A2
301191160233426	A2	301194170376521	A2
301191160238418	B2	301194190167785	B2
301191160262285	A2	301194190174411	A2

301191160268735	B2	301194190230953	B2
301191160275468	B2	301194190232227	A2
301191160291209	A2	301194190239787	A2
301191160317521	A2	301194190262641	A2
301191160317923	A2	301194190315245	A2
301191170281992	A2	301194190317808	A2
301191170297269	A2	301194190363868	A2
301191170308328	A2	301194190364639	B2
301191170318669	B2	301194190366572	A2
301191170334732	A2	301194190369056	B2
301191170366149	A2	301194190374123	A2
301191170369710	A2	301194220368078	A2
301191170377671	A2	301194220373166	B2
301191190161087	A2	301194250379489	A2
301191190171380	A2	301194260154001	UNFIT ALL
301191190184279	A2	301194260157435	A2
301191190221856	A2	301194260197758	A2
301191190247909	A2	301194260205263	A2
301191190281854	B2	301194260234349	A2
301191190288494	A2	301194260273147	A2
301191190337334	A2	301194260289867	A2
301191190369367	A2	301194260320220	B2
301191190369947	A2	301194260320559	A2
301191190370143	A2	301194260340978	B2
301191190374955	A2	301194260362347	B2
301191190379851	A2	301194260368188	A2
301191190379984	A2	301194260371657	B2
301191190380148	B2	301194260372094	A2
301191210318536	A2	301194260377644	B2
301191220276572	A2	301194260378491	A2
301191220311625	A2	301194260382336	B2
301191220324778	A2	301194270236938	A2
301191220329751	A2	301194270241438	A2
301191220366697	A2	301194270242318	B2
301191220367336	A2	301194270248035	A2
301191220379144	B2	301194270251434	A2
301191220379628	A2	301194270268721	B2
301191230226448	A2	301194270292759	A2
301191230348998	B2	301194270296389	A2
301191240317928	UNFIT ALL	301194270311456	B2
301191250378208	B2	301194270349403	A2
301191250379781	A2	301194270353963	B2
301191250381556	B2	301194270359125	A2
301191260146549	B2	301194270359806	B2
301191260267263	A2	301194270369724	A2
301191260302349	A2	301194270378174	A2
301191260333325	A2	301194270379137	B2

301191260347088	A2	301194270379153	A2
301191260350985	B2	301194270379249	A2
301191260356413	A2	301194270380922	A2
301191260362529	A2	301194270382020	A2
301191260369879	A2	301194270382339	B2
301191260374071	B2	301194280147694	A2
301191260375052	A2	301194280157614	B2
301191270219541	A2	301194280163860	B2
301191270228395	B2	301194280178579	A2
301191270258918	A2	301194280186523	discharge
301191270269811	A2	301194280190397	A2
301191270287201	A2	301194280191884	A2
301191270294896	B2	301194280193533	B2
301191270308744	A2	301194280196401	A2
301191270316387	A2	301194280210559	A2
301191270337035	A2	301194280328595	A2
301191270379418	A2	301194280332893	A2
301191270380005	A2	301194300000053	B2
301191270380475	A2	301194300000960	A2
301191280200064	C2	301194300001266	A2
301191280212877	A2	301194300001751	A2
301191300007538	A2	301194300002993	A2
301191300008951	B2	301194300003668	A2
301191300013176	A2	301194300004513	A2
301191300021336	A2	301194300007470	A2
301191300021613	B2	301194300008007	A2
301191300023761	B2	301194300008494	C2
301191300027176	C2	301194300010197	A2
301191300027219	C2	301194300013032	A2
301191300027314	A2	301194300014359	A2
301191300029795	A2	301194300014906	A2
301191300029924	A2	301194300016377	B2
301191300030271	C2	301194300019359	A2
301191300038161	A2	301194300020138	A2
301191300038268	A2	301194300021317	B2
301191300042486	A2	301194300022147	A2
301191300044449	A2	301194300023128	A2
301191300044779	A2	301194300023492	A2
301191300049911	A2	301194300023531	A2
301191300055844	A2	301194300023978	B2
301191300064159	B2	301194300024280	A2
301191300078692	B2	301194300027050	A2
301191300079369	B2	301194300028350	A2
301191300083517	A2	301194300029543	A2
301191300084578	A2	301194300030031	A2
301191300084780	C2	301194300030259	A2
301191300085101	A2	301194300042114	A2

301191300087619	A2	301194300043429	B2
301191300096714	A2	301194300045100	B2
301191300097980	A2	301194300045678	B2
301191300098077	B2	301194300046796	A2
301191300104024	B2	301194300049103	B2
301191300127534	A2	301194300055212	A2
301191300139464	A2	301194300059906	B2
301191300140265	B2	301194300067434	A2
301191300153793	A2	301194300067488	A2
301191300238819	A2	301194300070084	B2
301191300239711	A2	301194300070530	A2
301191300270180	B2	301194300079062	B2
301191300293021	B2	301194300082445	A2
301191300304031	B2	301194300098533	B2
301191300316513	A2	301194300098988	A2
301191310378359	A2	301194300099102	B2
301192120210157	Discharge	301194300099985	A2
301192120216592	A2	301194300100326	A2
301192120265710	A2	301194300101908	B2
301192120341319	A2	301194300104421	A2
301192130346289	A2	301194300122447	A2
301192130369390	A2	301194300122610	A2
301192150051280	B2	301194300131715	B2
301192150073233	A2	301194300138543	A2
301192150100814	A2	301194300144077	A2
301192150230979	B2	301194300144365	A2
301192150242852	A2	301194300151859	A2
301192150258172	B2	301194300181815	A2
301192150258739	C2	301194300211145	A2
301192150259484	A2	301194300212445	B2
301192150291966	A2	301194300229487	A2
301192150293697	A2	301194300231251	B2
301192150316264	A2	301194300231470	A2
301192150348943	B2	301194300238941	B2
301192150362694	A2	301194300244046	A2
301192160088895	B2	301194300268544	B2
301192160119785	A2	301194300277895	A2
301192160130637	B2	301194300289020	A2
301192160243424	A2	301194300330271	A2
301192170214835	A2	301194300350516	B2
301192170219830	A2	301194300354322	B2
301192170222839	B2	301194300358406	A2
301192170241539	A2	301194300359183	B2
301192170308962	A2	301194310382280	B2
301192220240885	B2	301195120076846	A2
301192240237719	B2	301195120095668	B2
301192240293759	B2	301195120129382	A2

301192240346042	A2	301195130076106	A2
301192240349501	B2	301195130081792	B2
301192270310066	B2	301195130086911	A2
301192270378036	B2	301195130089857	A2
301192270381689	B2	301195130101615	B2
301192280175062	A2	301195130102074	A2
301192280180672	A2	301195130125556	C2
301192280206516	A2	301195130185503	A2
301192300006890	A2	301195130191192	A2
301192300009395	A2	301195130198048	A2
301192300022847	A2	301195130216950	B2
301192300024759	A2	301195130363458	A2
301192300026081	A2	301195130365332	A2
301192300036749	A2	301195130366352	A2
301192300039686	A2	301195130369238	A2
301192300040552	A2	301195130371995	A2
301192300045385	B2	301195130372194	A2
301192300052986	A2	301195130374726	A2
301192300057798	A2	301195150101751	A2
301192300063975	A2	301195150104238	A2
301192300064114	A2	301195150120433	A2
301192300082290	A2	301195150121060	A2
301192300085771	B2	301195150122771	A2
301192300099329	A2	301195150124289	A2
301192300101372	B2	301195150136286	C2
301192300112519	A2	301195160132477	A2
301192300119656	A2	301195160138487	C2
301192300124804	B2	301195170018265	A2
301192300125719	A2	301195170078695	A2
301192300127185	A2	301195170118580	A2
301192300131925	A2	301195170122672	B2
301192300132667	B2	301195170143030	B2
301192300144850	B2	301195170353240	B2
301192300174772	A2	301195170366571	A2
301192300203161	C2	301195170371214	A2
301192300243297	A2	301195190086924	A2
301192300256939	B2	301195190095642	B2
301192300259050	A2	301195190185292	A2
301192300268561	A2	301195190212008	B2
301192300272223	B2	301195190226853	A2
301192300272921	B2	301195190364837	A2
301192300302150	A2	301195190367254	B2
301192300313429	B2	301195190367590	A2
301192300324178	A2	301195190369738	B2
301192300334320	B2	301195190369804	A2
301192300343961	B2	301195190371711	B2
301192300347172	A2	301195190375082	A2

301192300351966	A2	301195190376297	B2
301192300352329	A2	301195190379598	A2
301192310381985	A2	301195210014057	C2
301193120146993	A2	301195220111878	A2
301193120147244	A2	301195220378134	B2
301193120170694	A2	301195220380020	B2
301193120248151	A2	301195220380423	A2
301193120249798	A2	301195220380604	A2
301193120254653	A2	301195250370759	A2
301193120255766	B2	301195250382267	A2
301193120303955	A2	301195260094484	A2
301193120355123	A2	301195260135566	A2
301193130076853	A2	301195260229774	A2
301193150063320	A2	301195260253894	B2
301193150094676	A2	301195260258603	A2
301193150108217	B2	301195260267044	B2
301193150249768	A2	301195260279373	A2
301193260112378	A2	301195260283076	A2
301193270075045	A2	301195260301727	A2
301193270240658	A2	301195260321505	B2
301193280262903	A2	301195260322594	A2
301193300024173	A2	301195260330621	A2
301193300024720	B2	301195260346774	A2
301193300028143	A2	301195260365180	A2
301193300029238	A2	301195260365960	A2
301193300032247	A2	301195260378363	B2
301193300034496	B2	301195260379937	A2
301193300074610	B2	301195260380853	A2
301193300076372	A2	301195260380997	A2
301193300084544	A2	301195260381606	B2
301193300085850	A2	301195270076742	A2
301193300088133	B2	301195270084344	A2
301193300090272	A2	301195270088523	A2
301193300097272	B2	301195270103607	A2
301193300106393	B2	301195270114784	A2
301193300114914	A2	301195270138687	A2
301193300118975	C2	301195270141594	B2
301193300120699	A2	301195270255114	A2
301193300125432	A2	301195270279261	A2
301193300131476	A2	301195270298985	B2
301193300132724	B2	301195270304474	B2
301193300136438	B2	301195270310414	A2
301193300266653	B2	301195270317677	A2
301193300341812	B2	301195270333515	A2
301194120294065	A2	301195270350730	A2
301194120321364	B2	301195270366128	A2
301194130181771	B2	301195270378429	B2

301194130207510	A2	301195270378984	A2
301194130323881	A2	301195270379111	A2
301194130362951	A2	301195270381874	A2
301194130363345	A2	301195300012857	B2
301194130363718	B2	301195300024371	B2
301194130367432	A2	301195300055249	A2
301194130368900	B2	301195300055856	A2
301194130380938	B2	301195300059377	A2
301194130381353	A2	301195300074666	A2
301194150034479	B2	301195300079551	A2
301194150069631	A2	301195300086386	B2
301194150169402	B2	301195300108192	A2
301194150172607	A2	301195300145249	B2
301194150205047	A2	301194300016415	Absent in medical

उपरोक्त में जिन उम्मीदवारों को मेडिकल कैटेगरी B2 में फिट पाया गया है वे उम्मीदवार A2 मेडिकल कैटेगरी में अनफिट हैं। इसी तरह जो उम्मीदवार C2 में फिट पाये गए हैं वे उम्मीदवार A2 एवं B2 में अनफिट हैं। अतः यदि उम्मीदवार इस मेडिकल श्रेणी के विरुद्ध अपील करना चाहते हैं तब वे **Annexure-I** एवं **Annexure-II** में निर्दिष्ट प्रारूप में दिनांक 27.02.2023 तक रेलवे भर्ती बोर्ड बिलासपुर कार्यालय में अपना आवेदन प्रस्तुत कर सकते हैं।

अपील हेतु प्राप्त मामले में प्रधान मुख्य चिकित्सा निदेशक , दक्षिण पूर्व मध्य रेलवे , बिलासपुर की सहमति के आधार पर उम्मीदवार की पुनः जाँच के लिए एक चिकित्सा बोर्ड के माध्यम से चिकित्सा जाँच का प्रावधान किया जाएगा।

प्रधान मुख्य चिकित्सा निदेशक , दक्षिण पूर्व मध्य रेलवे , बिलासपुर के द्वारा पुनः चिकित्सा जांच हेतु अनुमत उम्मीदवारों को चिकित्सा परीक्षण में भेजे जाने के लिए प्रधान वित्त सलाहकार / दक्षिण पूर्व मध्य रेलवे/ बिलासपुर (PFA/SECR/Bilaspur) के पक्ष में (in favour of) बिलासपुर में देय (Payable at Bilaspur) रुपये 1000/- का डिमांड ड्राफ्ट प्रस्तुत करना होगा।

कृते अध्यक्ष
रेलवे भर्ती बोर्ड/बिलासपुर

Format of Intimation Letter

(To be used while intimating the medically unfit candidates)

To

Shri/Smt/Ku
.....
.....
.....
.....

Sub: Medically unfit for posting in Group 'C' category in Railway as
.....

You are hereby informed that you have been found unfit in in medical examination and further examined by a 3 member medical Board of Railway due to for which standard is set by the Indian Railway, hence, no further appeal shall normally lie with any higher authority. (Authority: Railway Board's letter No.2014/H/5/8(Policy) dated 31.12.2015, Estt. Rule No.31/2016).

However,

- a) Once, the 03 member Board has taken a decision (on the grounds of hypertension, sub-standard vision and defective colour perception, diabetes), any representation/appeal shall be dealt with on the basis of the records and findings of the Committee and the candidate will not be subject to re-examination.
- b) Only in specific and exceptional cases in which there is an objective record of an X-ray finding, ECG record, Echo or a permanent defect/deformity, you can appeal to PCMD/South East Central Railway/Bilaspur through the undersigned for re-examination **within one month** of the date of communication alongwith investigation reports and fitness certificate from a Govt./Private doctor having specialty in the concerned field in which you have been found unfit, in the proforma attached herewith.

For appeal to PCMD, you will, however, be required to pay charges of Rs.1000/- through DD in case of appeal application is accepted by PCMD.

NOTE:- *The appeal must be submitted in the format i.e. Annexure-I duly signed by the candidate, however, this format and Annexure-II should be submitted to the office of Chairman, Railway Recruitment Board, Bilaspur.*

Encl:- Proforma of Application (Annexure-I) & Medical Certificate (Annexure-II).

Appeal for Remedical Examination against CEN No. 01/2019 (NTPC)

To
The Principal Chief Medical Director,
South East Central Railway,
BILASPUR (C.G.) - 495004

(Through Chairman/RRB/Bilaspur)

Sub: Appeal for remedical examination for Level-6 Posts of CEN No. 01/2019 (NTPC) against unfitness declared by divisional Railway hospitals for posting in Group 'C' category in Railway.

Respected sir,

I, Shri/Smt./Ku. S/W/D of Shri Roll No..... have attended document verification at Railway Recruitment Board, Bilaspur on/...../2022 for various posts of Level-6 against CEN No. 01/2019 (NTPC) and subsequently sent for medical examination at divisional Railway hospital at Bilaspur/Raipur/Nagpur on/...../2022.

I have been declared unfit in medical standard(s) by the concerned Railway hospital due to I am aware that I have been further examined/not examined by a 3 member medical Board of Railway, hence, no further appeal shall normally lie with any higher authority.

I am hereby submitting appeal against my unfitness in the prescribed format and humbly request to consider my appeal and give an opportunity for remedical examination please for which I shall be obliged.

I will submit the requisite charges of remedical examination i.e. Rs.1000/- through DD at the time of sending me for remedical examination at Railway Recruitment Board, Bilaspur.

Encl:- Medical Certificate (Annexure-II).

Place:.....

Date:

Name & Signature,
Roll Number & Address
Contact details.....

Proforma of Medical Certificate

(To be filled by Government / Private Specialist Doctor)

Name of the candidate Shri/Smt/Ku
S/o/D/o/W/o(Father's name).
Medical examination done for the post of medical category
Post

I hereby certify that:-

- The medical examination certificate has been given with full knowledge of the fact that the candidate has already been rejected as Unfit for service by the medical authority appointed by the Government in this behalf.
- Shri/Smt/Ku S/o, D/o, W/o Shri..... has been examined by me personally after verification of photograph, signature and identification marks.
- The necessary investigations done are of same person, the reports of which are enclosed alongwith my opinion.
- + The candidate has been tested for vision by Landolt's split rings mounted as per Indian Railways guidelines.

(+ struck out if not applicable)

Note:- If the candidate is made unfit due to defective vision, his/her vision is to be tested by Landolt's split rings mounted which is as per Indian Railways guidelines.

Opinion of the certifying doctor:-

Candidate's recent photograph with signature of the candidate half on photo and half on outside.
--

Signature of the candidate

Identification marks:-

1.....

2.....

Signature of the certifying Doctor

Name of the doctor

Specialty

Registration Number

Date of issue

Place of issue